

Inside Chisel

- design goals
 - in the style of Unix
 - command line only
 - one command to achieve one task well
- chisel is a package with at least three command line programs
 - txt2pen convert a txt file into a pen file
 - pen2map convert a pen file into a map file (doom3)
 - rndpen generate a random pen file
- for your coursework you should consider extending:
 - pen2map or txt2pen or introducing a third which could manipulate a pen or txt file

slide 3
gaius

rndpen

- generate a random pen map
- highly alpha code, but it will generate a corridor based random pen file
- the program does always find a map
- so some experimentation is required for the pseudo random numbers to mesh with the algorithm to generate a map

slide 4
gaius


rndpen

- ```
$ rndmap -h
Usage rndpen [-a minroomsiz] [-b maxroomsiz] \
 [-c mincorridorlength] [-d maxcorridorlength] \
 [-e totalcorridorlength] [-h] [-o outputfile] \
 [-s seed] [-x maxx] [-y maxy]
-a minroomsiz (default is 6)
-b maxroomsiz (default is 13)
-c mincorridorlength (default is 15)
-d maxcorridorlength (default is 70)
-e totalcorridorlength (default is 300)
-o outputfile (default is stdout)
-s seed (default is 3)
-x minx for whole map (default is 120)
-y maxy for whole map (default is 80)
```

**rndpen**

- `$ rndmap -s 3 -a 5 -b 10 -c 5 -d 10 -e 20 -x 30 -y 30 | p`

- notice how the command line tools can be combined using the pipe

**rndpen****rndpen**

- rndpen prioritises placing random corridors on the map
- it then tries to fill in the remaining gaps with boxes and will combine boxes to give rooms of desired min/max dimensions
- it also restricts the number of walls to 8
- it might be useful if you wanted to generate a map quickly

**Inside: txt2pen**

- source is in one file:  
\$HOME/Sandpit/chisel/python/txt2pen.py
  - 690 lines of Python
- uses the following command line options

- ```
$ cd $HOME/Sandpit/chisel/python
$ python txt2pen.py -h
-d debugging
-h help
-V verbose
-v version
-o outputfile name
```

Inside: txt2pen

- notice the `-o` option which takes an additional argument (filename)
- it uses the `getopt` module to handle the options
 - see function `handleOptions`

Inside: txt2pen

- ```
def handleOptions ():
 global debugging, verbose, outputName

 outputName = None
 try:
 optlist, l = getopt.getopt(sys.argv[1:], 'dho:vV')
 for opt in optlist:
 if opt[0] == '-d':
 debugging = True
 elif opt[0] == '-h':
 usage (0)
 elif opt[0] == '-o':
 outputName = opt[1]
 elif opt[0] == '-v':
 printf ("txt2pen version " + str (versionNumber) + "\n")
 sys.exit (0)
 elif opt[0] == '-V':
 verbose = True
 if l != []:
 return (l[0], outputName)
 except getopt.GetoptError:
 usage (1)
 return (None, outputName)
```

**Inside: txt2pen**

- it uses a dictionary to maintain the defines
- stores the map in a 2D list (array)
  - `mapGrid`

**Inside: txt2pen**

- it determines the walls of a room
  - it finds the room number (location)
  - moves to the top left inside the room (`generateRoom`)
  - it then attempts to turn left as it moves around the room (the wall is always on the left)
  - examine `scanRoom` for the implementation
  - it looks the square forward and square forward left comparing the two characters: `##` or `--` or `#-`
    - `#` wall and `-` for space
- a space should be thought of as not a wall

## Inside: txt2pen

- scanRoom will start at the top right corner of a room and walk around the edge with the wall always on the left
  - it builds a list of walls, a wall stops/starts at each turn
- if it sees ## then it must turn right
  - the old wall is stored and a new start position is remembered
- if it sees -- then it must turn left
  - the old wall is stored and a new start position is remembered
- if it sees #- then it continues moving a square forward

## Extending chisel (txt2pen)

- one of the obvious improvements is for chisel to automatically introduce lights
  - add another option to enable automatic lighting
  - -l
- copy scanRoom into a new function introduceLights
- adapt this new function to add lights
  - but only if the rooms has no user defined lights

## Inside: pen2map

- chisel/python/pen2map.py is 2086 lines of Python

- ```
$ cd $HOME/Sandpit/chisel/python
$ python pen2map.py -h
Usage: pen2map [-c filename.ss] [--dhmtvV] [--o outputfile]
  -c filename.ss  use filename.ss as the defaults for the
  -d              debugging
  -e              provide comments in the map file
  -g type         game type. The type must be 'single'
  -h              help
  -m              create a doom3 map file from the pen file
  -s              generate statistics about the map file
  -t              create a txt file from the pen file
  -V              generate verbose information
  -v              print the version
  -o outputfile  place output into outputfile
```

Example style sheet for the map

- how are textures defined - could use the defaults - and ignore this slide!
 - or examine chisel/python/tiny.ss

- ```
style sheet for simple doom3 maps

define floor textures/hell/qfloor
define portal textures/editor/visportal
define open textures/editor/visportal
define closed textures/hell/wood1
define secret textures/hell/bricksla_d
define wall textures/hell/cbrick2b
define ceiling textures/hell/wood1
```

## pen2map

- reads in a pen file and converts it into a doom3 map file
- the pen map is parsed by a top down recursive descent parser
  - the pen syntax is described by an ebnf grammar (extended backus naur form)
  - hand translated into a top down recursive descent parser
- recursive descent parsers are fast and straightforward to implement once the grammar is defined
  - they also allow for strict syntax checking of input
  - they are used extensively in the construction of compilers

## ebnf

- consists of terminal symbols and non-terminal production rules which define the legal sequence of symbols
- in C++ for example, a terminal symbol might be `while, for, do, = ; 0` etc
- a rule might be:
 

```
assignment := lhs "=" rhs =:
```
- meaning the `assignment` rule is satisfied if there is a legal `lhs` followed by `=` followed by `rhs`

## pen example

```
ROOM 1
WALL
 1 21 18 21
 18 21 18 14
 18 14 1 14
 1 14 1 21
DOOR 18 18 18 17 STATUS OPEN LEADS TO 2
MONSTER python_doommarine_mp AT 13 18
LIGHT AT 12 20
LIGHT AT 4 15
LIGHT AT 15 15
SPAWN PLAYER AT 3 18
END
```

## pen grammar in ebnf

```
FileUnit := RoomDesc { RoomDesc } [RandomTreasure] "END"
RoomDesc := 'ROOM' Integer
 { WallDesc | DoorDesc | TreasureDesc } 'END'
WallDesc := 'WALL' WallCoords { WallCoords } =:
WallCoords := Integer Integer Integer Integer =:
DoorDesc := 'DOOR' DoorCoords { DoorCoords } =:
```

## open grammar in ebnf

- ```
DoorCoords := Integer Integer Integer Integer Status
            'LEADS' 'TO' Integer =:

Status := 'STATUS' ( 'OPEN'
                    | 'CLOSED'
                    | 'SECRET'
                    ) =:

TreasureDesc := 'TREASURE' 'AT' Integer Integer
               'IS' Integer =:

RandomTreasure := 'RANDOMIZE' 'TREASURE' Integer
                 { Integer } =:
```

ebnf meta symbols

- { foo }
 - means it is legal to have 0 or more occurrences of foo
- [foo]
 - means it is legal to have 0 or 1 occurrence of foo
- (foo | bar)
 - here the (and) group together the extent of the |
- "foo" represents the terminal symbol f o o
- as opposed to the rule foo

Translating ebnf grammar into a top down parser

- once the grammar is defined it is straightforward to implement a top down parser
- if the grammar is said to be well formed if we only need to look at the next token to determine the flow of control in the parser

Translating ebnf grammar into a top down parser

- we define a few helper functions
 - expect ("foo") insists that the next token is "foo" and generates an error if it is not "foo"
 - if "foo" is seen the consume this symbol and move onto the next
- expecting (list)
 - returns True if any symbol in list matches the current symbol
- integer return True if the current symbol is an integer
 - if True store the value of the integer in curinteger