

Lecture: 23-1

- Prerequisites for this lecture are: 22-1, 22-2 and 22-3.

Implementing an array datatype in Python

- python has a number of builtin data types: strings, lists, dictionaries, float, int
 - noticable by its absense is the array data type
- this datatype would be useful in touchmap to maintain a grid of buttons and a grid of the characters to be exported

Implementing an array datatype in Python

- it is possible to build an array datatype from a class (and a number of lists)

array2d.py

- array2d.py implements a very simple 2D array in Python
- and is used by touchmap.py to create cell_array and button_array

- `$HOME/Sandpit/touchmap-0.2/array2d.py`

```
# the contents will be written to the file and is the co
cell_array = array2d (0, 0, " ")
# contains just the 2D array of cells (buttons) visible
button_array = array2d (0, 0, [None])
```

array2d.py

- array2d takes three parameters the initial size of the array x and y and lastly the default element value which must be a list
- array2d is implemented as a class and has a number of public methods
 - set_contents set array [x, y] to value
 - get get value held at position, [x, y]
 - high return the maximum indices in the 2d array
 - inRange return True if, x, y can index into the array.

array2d.py

- the array will dynamically grow to fit an assigned value
- for example
 - ```
cell_array = array2d (0, 0, " ")
cell_contents.set_contents (4, 2, "a")
```
- will create cell\_array
  - and then store a at index 4, 2 having grown the cell\_array from entry 0, 0 up to but not including entry 4, 2 with spaces

**array2d.py**

- remember that a string is a list of characters in Python
- which is why the button array is declared using
  - ```
button_array = array2d (0, 0, [None])
```