

Re-initialisation of the data directories

- you will need the latest directory configuration from here:

```
$ cd  
$ rm -f skeleton-doom3-data.tar.gz  
$ wget http://floppsie.comp.glam.ac.uk/download/targz/skeleton-doom3-data.tar.gz  
$ tar xzf skeleton-doom3-data.tar.gz
```

- this will re-initialise doom3 directories and also configure emacs and gdb which is vital for compiling and debugging the game engine

Download the doom3 engine source code

- we make sure we all have the same directory structure as we will use emacs to compile/debug dhewm3

- ```
$ mkdir -p $HOME/Sandpit/git-doom3
```

- and fetch the engine

- ```
$ cd $HOME/Sandpit/git-doom3  
$ git clone https://github.com/gaiusm/pybot-dhewm3
```

Compile the doom3 engine from the command line

- we will compile it from within emacs
- start emacs and press F5 to compile and debug doom3

Generate a map for doom3

- before we can run doom3 we need to generate a suitable map

```
$ cd  
$ cd Sandpit/chisel/python  
$ ./developer-txt2map ../maps/onebot.txt
```

- this will generate `tiny.map` which is used in the next few slides

Running doom3

- to run doom3 type:

- ```
$ d3
```

- once the splash screen has finished press the ~ key

- now type `dmap tiny.map`
  - this will compile the map

- and now `map tiny.map`
  - which loads in the compiled map

- you should see yourself and pybot appear in a room
  - pybot will come and find you



## Running doom3

- once you have finished with the doom3 engine
  - you will now need to use the command line to kill off the python bot (which will still be running in the background)

```
$ ps aux | grep python
$ kill -9 python pid number
```

- make sure this process no longer appears in the process list (using `ps`)

## Better Python and Doom3 running

- killing off the python bot can become tiresome
  - so you can use `mrun` to spawn a process and send its output to another terminal window
  - when `mrun` stops, all its children windows are killed and all Python bots disappear
  
- try running the game again using these commands:
  
- ```
$ cd Sandpit/git-doom3/pybot-dhewm3  
$ ./shell/debug-bots single-bot.par
```

- when doom3 finishes, press the enter key in the above window
 - the Python window should also disappear and tidy up gracefully

Further reading

- examine the shell scripts
 - `./shell/debug-bots` and `./shell/debug-only-bots`

- write down an explanation of their function